



KJA – FUR1200

Features

1. Compressor Deck can be pulled outward for easy maintenance, and servicing purposes
2. Forced Evaporation
3. Doors are interchangeable
4. Castors are interchangeable to standard legs
5. Environmental Friendly Refrigerant R134a



	PRODUCT NAME		UNDERCOUNTER CHILLER		
	DESCRIPTION		KJA-FUR1200		
	DIMENSIONS		W	D	H
		EXTERNAL	1200	750	800
		INTERNAL			
	CABINET	EXTERIOR	BODY	SUS 304 (0.5)	
			TOP	SUS 304 (0.8)	
		INTERIOR	SUS 304 (0.4)		
		INSULATION	PU		
	DOOR	S/S DOORS*2			
REFRIGERATION CYCLE	COMPRESSOR	SC10G (Danfoss)			
	OUTPUT	1237W			
	FREON	R134A			
	EVAPORATOR	FIN TUBE FORCED CIRCULATION			
	FAN	EVAPORATOR FAN : DP201A*2 CONDENSOR FAN : 5548152,20W*1			
	POWER	220-240V 50/60HZ			
	CONTROLLER	TL-550			
	CONDENSOR	FIN TUBE FORCED AIR			
COOLING PERFORMANCE	INTERNAL TEMP : 0 ~ 4°C INTERNAL RH : 70~80%				
WEIGHT	80kg				
POWER CONSUMPTION	6.7 KW-hr				

Exclusive Philippine Distributor:

STA. ANA IMPORT EXPORT INC.

3874 Macabulos St., Bangkal, Makati City, Philippines, 1233

Tel Nos. 889-0040, 889-0049, 889-0051, and 843-1322

Fax No. 889-0050

Email: Kinco@eastern.com.ph



KJA – FUF1200

Features

1. Compressor Deck can be pulled outward for easy maintenance, and servicing purposes
2. Forced Evaporation
3. Doors are interchangeable
4. Castors are interchangeable to standard legs
5. Environmental Friendly Refrigerant R404a



	PRODUCT NAME		UNDERCOUNTER FREEZER		
	DESCRIPTION		KJA-FUF1200		
	DIMENSIONS		W	D	H
		EXTERNAL	1200	750	800
		INTERNAL			
	CABINET	EXTERIOR	BODY	SUS 304 (0.5)	
			TOP	SUS 304 (0.8)	
		INTERIOR	SUS 304 (0.4)		
		INSULATION	PU		
	DOOR	S/S DOORS*2			
REFRIGERATION CYCLE	COMPRESSOR	SC10G (Danfoss)			
	OUTPUT	516W			
	FREON	R404A			
	EVAPORATOR	FIN TUBE FORCED CIRCULATION			
	FAN	EVAPORATOR FAN : DP201A*2 CONDENSOR FAN : 5548152,20W*1			
	POWER	220-240V 50/60HZ			
	CONTROLLER	TL-660			
	CONDENSOR	FIN TUBE FORCED AIR			
COOLING PERFORMANCE	INTERNAL TEMP : -18 ~ -22°C INTERNAL RH : 50~60%				
WEIGHT	80kg				
POWER CONSUMPTION	8 KW-hr				

Exclusive Philippine Distributor:

STA. ANA IMPORT EXPORT INC.

3874 Macabulos St., Bangkal, Makati City, Philippines, 1233

Tel Nos. 889-0040, 889-0049, 889-0051, and 843-1322

Fax No. 889-0050


Email: Kinco@eastern.com.ph



KJA – FUR1500

Features

1. Compressor Deck can be pulled outward for easy maintenance, and servicing purposes
2. Forced Evaporation
3. Doors are interchangeable
4. Castors are interchangeable to standard legs
5. Environmental Friendly Refrigerant R134a



PRODUCT NAME		UNDERCOUNTER CHILLER		
DESCRIPTION		KJA-FUR1500		
DIMENSIONS		W	D	H
	EXTERNAL	1500	750	800
	INTERNAL			
CABINET	EXTERIOR	BODY	SUS 304 (0.5)	
		TOP	SUS 304 (0.8)	
	INTERIOR	SUS 304 (0.4)		
	INSULATION	PU		
	DOOR	S/S DOORS*2		
REFRIGERATION CYCLE	COMPRESSOR	SC12G (Danfoss)		
	OUTPUT	1823W		
	FREON	R134A		
	EVAPORATOR	FIN TUBE FORCED CIRCULATION		
	FAN	EVAPORATOR FAN : DP201A*2 CONDENSOR FAN : 5548152,20W*1		
	POWER	220-240V 50/60HZ		
	CONTROLLER	TL-550		
	CONDENSOR	FIN TUBE FORCED AIR		
COOLING PERFORMANCE	INTERNAL TEMP : 0 ~ 4°C INTERNAL RH : 70~80%			
WEIGHT	100kg			
POWER CONSUMPTION	9.2 KW-hr			

Exclusive Philippine Distributor:

STA. ANA IMPORT EXPORT INC.

3874 Macabulos St., Bangkal, Makati City, Philippines, 1233

Tel Nos. 889-0040, 889-0049, 889-0051, and 843-1322

Fax No. 889-0050

Email: Kinco@eastern.com.ph



KJA – FUF1500

Features

1. Compressor Deck can be pulled outward for easy maintenance, and servicing purposes
2. Forced Evaporation
3. Doors are interchangeable
4. Castors are interchangeable to standard legs
5. Environmental Friendly Refrigerant R404



		PRODUCT NAME		UNDERCOUNTER FREEZER		
		DESCRIPTION		KJA-FUF1500		
CABINET	DIMENSIONS		W	D	H	
		EXTERNAL	1500	750	800	
		INTERNAL				
	EXTERIOR	BODY	SUS 304 (0.5)			
		TOP	SUS 304 (0.8)			
INTERIOR	SUS 304 (0.4)					
INSULATION	PU					
DOOR	S/S DOORS*2					
REFRIGERATION CYCLE	COMPRESSOR	SC12CL (Danfoss)				
	OUTPUT	696W				
	FREON	R404				
	EVAPORATOR	FIN TUBE FORCED CIRCULATION				
	FAN	EVAPORATOR FAN : DP201A*2 CONDENSOR FAN : 5548152,20W*1				
	POWER	220-240V 50/60HZ				
	CONTROLLER	TL-550				
CONDENSOR	FIN TUBE FORCED AIR					
COOLING PERFORMANCE	INTERNAL TEMP : -18 to -22 INTERNAL RH : 50~60%					
WEIGHT	100kg					
POWER CONSUMPTION	10.2 KW-hr					

Exclusive Philippine Distributor:

STA. ANA IMPORT EXPORT INC.

3874 Macabulos St., Bangkal, Makati City, Philippines, 1233

Tel Nos. 889-0040, 889-0049, 889-0051, and 843-1322

Fax No. 889-0050


Email: Kinco@eastern.com.ph



KJA – FUR1800

Features

1. Compressor Deck can be pulled outward for easy maintenance, and servicing purposes
2. Forced Evaporation
3. Doors are interchangeable
4. Castors are interchangeable to standard legs
5. Environmental Friendly Refrigerant R134a



PRODUCT NAME		UNDERCOUNTER CHILLER		
DESCRIPTION		KJA-FUR1800		
DIMENSIONS		W	D	H
	EXTERNAL	1800	750	800
	INTERNAL			
CABINET	EXTERIOR	BODY	SUS 304 (0.4)	
		TOP	SUS 304 (0.8)	
	INTERIOR	SUS 304 (0.4)		
	INSULATION	PU		
	DOOR	S/S DOORS*3		
	REFRIGERATION CYCLE	COMPRESSOR	SC12G (Danfoss)	
	OUTPUT	1823W		
	FREON	R134A		
	EVAPORATOR	FIN TUBE FORCED CIRCULATION		
	FAN	EVAPORATOR FAN : DP201A*2 CONDENSOR FAN : 5548152,20W*1		
	POWER	220-240V 50/60HZ		
	CONTROLLER	TL-550		
	CONDENSOR	FIN TUBE FORCED AIR		
COOLING PERFORMANCE		INTERNAL TEMP : 0 ~ 4°C INTERNAL RH : 70~80%		
WEIGHT		120kg		
POWER CONSUMPTION		11.3 KW-hr		

Exclusive Philippine Distributor:

STA. ANA IMPORT EXPORT INC.

3874 Macabulos St., Bangkal, Makati City, Philippines, 1233

Tel Nos. 889-0040, 889-0049, 889-0051, and 843-1322

Fax No. 889-0050


Email: Kinco@eastern.com.ph



KJA – FUF1800

Features

1. Compressor Deck can be pulled outward for easy maintenance, and servicing purposes
2. Forced Evaporation
3. Doors are interchangeable
4. Castors are interchangeable to standard legs
5. Environmental Friendly Refrigerant R404



PRODUCT NAME		UNDERCOUNTER FREEZER		
DESCRIPTION		KJA-FUR1800		
DIMENSIONS		W	D	H
	EXTERNAL	1800	750	800
	INTERNAL			
CABINET	EXTERIOR	BODY	SUS 304 (0.5)	
		TOP	SUS 304 (0.8)	
	INTERIOR	SUS 304 (0.4)		
	INSULATION	PU		
	DOOR	S/S DOORS*3		
	REFRIGERATION CYCLE		COMPRESSOR	SC12CL (Danfoss)
		OUTPUT	66W	
		FREON	R404A	
		EVAPORATOR	FIN TUBE FORCED CIRCULATION	
		FAN	EVAPORATOR FAN : DP201A*2 CONDENSOR FAN : 5548152,20W*1	
		POWER	220-240V 50/60HZ	
		CONTROLLER	TL-550	
		CONDENSOR	FIN TUBE FORCED AIR	
COOLING PERFORMANCE		INTERNAL TEMP : -18 - -22 INTERNAL RH : 50-60%		
WEIGHT		120kg		
POWER CONSUMPTION		11.3 KW-hr		

Exclusive Philippine Distributor:

STA. ANA IMPORT EXPORT INC.

3874 Macabulos St., Bangkal, Makati City, Philippines, 1233

Tel Nos. 889-0040, 889-0049, 889-0051, and 843-1322

Fax No. 889-0050

Email: Kinco@eastern.com.ph